

## **Axial flow thresher and improved quality polishing**

Solution Holder is **Ernest Asiedu** and can be contacted through **e.asiedu@cgiar.org**

### **Summary**

Threshing is the process of separating rice grain from the chaff that surrounds it, and polishing is where the outermost bran layers are removed. Both these operations are of great importance to enhance the cooking quality and palatability of rice which pushes up its value when sold on markets. Most rice farmers in Sub-Saharan Africa use traditional methods where the panicles are treaded on by humans or animals for threshing, leading to high losses as a result of grain breakage. Manual polishing is done by soaking the kernels in water and rubbing them against each other to peel off the brans. These artisanal practices take up a lot of time and labour making it impossible to process the large volumes of rice that are harvested in communities, thus missing out on value add. Mechanized equipment for threshing and polishing have existed for a long time but are little adopted across rice growing areas of SSA because of the capital investment that is needed and also low performance levels when it is not configured well.

### **Technical Description**

Modern, motorized axial flow threshers use a turning drum in which rice moves between the concave and rotating drum for several complete turns causing multiple impacts as the produce moves along the length of the drum. Rice husks are fully removed and grains cleaned through a set of separation sieves and a blower or aspirator. The drum is the core working device of a thresher and its configuration has a major influence on the energy efficiency, power requirement and seed loss of the process. Mechanical rice polishers are abrasive machines that use talc or some other very fine dust to buff the outer surface of rice kernels. The process of polishing removes the fibrous bran layer and leaves behind the starch-rich grain making the rice easier to cook and giving it a more delicate taste. Self-contained mobile motorized threshers and polishers for rice are available from agricultural equipment manufacturers that can be brought close to the paddy fields of farmers and allow processing large volumes of high-quality grain while keeping costs low. Compact diesel/petrol generators and solar panel installations are used in mobile units to supply power for threshing and polishing of rice, making it easy to operate in expansive rice growing areas.

### **Uses**

Motorized axial-flow threshers and abrasive polishers offer major practical and economic advantages for post-harvest value addition in all major rice production zones of SSA, both at subsistence and commercial scale. The high degree of mobility and cost-effectiveness achieved by mobile rice processing units make it very suitable for regions where processing factories are few, and road and electricity infrastructures fall short, like is the case in many of the continent’s rural regions. Sizes and configurations of the equipment outfits can be easily adapted to different contexts and objectives of rice farmers, making it possible to bring the modern mechanized technologies for threshing and polishing to any community in SSA.

**Composition**

Longitudinal axial flow threshing drums are made of a long cylinder with spikes or rasp bars on its inner surface, a thresher with spike teeth, a thresher cover with helical blades, and a stationary concave that is perforated to enable the product to drop by gravity into a collector. Rotational speeds of the thresher are conveyed from the engine using a pulley and belt. Abrasive polishers exist of a moving stone or carborundum type surface and stationary screen that are usually vertical cone-shaped, whereas friction polishers have a steel-ribbed cylinder rotating inside a metal-plated cylinder that are mounted horizontally. Automated polishers can also be fitted with a water spraying system for high gloss finishes. The key parts of threshers and polishers are made of stainless steel that make it long-lasting and easy to keep in hygienic conditions.

**Means of application**

Threshing of rice is normally done when the grain moisture content is 15 to 17%, if it is higher or lower the efficiency goes down, and grain damage and loss increase. Rotational speeds of thresher can be changed according to the desired rate of processing and power consumption, but have to be optimized to avoid cracking of grains and incomplete removal of husks. Maximum threshing productivity and efficiency are achieved at higher rotational speeds and feed-in rates, whereas minimum power is used for threshing rice when rotating speeds and feed-in rates are lower. Trailer-mounted thresher units powered by a 18-24 horsepower motor have a rice haulm/stover in-take capacity of 2 ton per hour and unhusked grain output rate of 0.5-0.75 ton per hour. For polishing, the rotational speed of the cylindrical chamber and roller wheel have to be sufficiently high to achieve satisfactory productivity and quality, but not too fast as that causes grain breakage and loss. The processing capacity of polishers goes from 50-100 kg per hour for smaller bench-top systems, to 300-500 kg per hour for larger trailer-sized systems. It is possible for local artisans to fabricate motorized units for threshing and polishing since all building materials and equipment are readily accessible to rural communities in African countries.

<b>Agroecologies</b>	Highlands, Moist savanna.
<b>Regions</b>	Africa South of Sahara.

<b>Developed in Countries</b>	Benin, Burkina Faso, Cameroon, Gambia, Ivory Coast, Mali, Mauritania, Nigeria, Senegal.
<b>Available in</b>	Benin, Burkina Faso, Cameroon, Gambia, Ivory Coast, Mali, Mauritania, Nigeria, Senegal.
<b>Solution Forms</b>	Equipment.
<b>Solution Applications</b>	Post-harvest handling.
<b>Agricultural Commodities</b>	Rice.
<b>Target Beneficiaries</b>	Small-scale farmers, Commercial farmers.

## Commercialization

### Commercialization Category

Commercially available

### Startup Requirements

1) Inform rice farmers, cooperatives and millers about the benefits of motorized threshers and polishers for increasing value addition and market access, and reducing post-harvest costs and losses, 2) Identify suitable setup and size of mobile rice processing equipment, 3) Establish reliable supply of rice by drawing up contracts and delivery schedules for farmers, and 4) Provide loans to community-based and commercial processors for acquiring mobile units.

### Production Costs

A trailer-sized thresher with an unhusked grain output capacity of 0.5-0.75 ton per hour that is manufactured locally costs around US \$4,500 including the engine, and agricultural equipment manufacturers are selling similar and larger sized systems for US \$4,000 to US \$12,000. Prices of small bench-top polishers from commercial retailers start at US \$3,000, while larger advanced polishers and whiteners are costing US \$15,000-20,000. The main operational expenses for the motorized rice processing are the wages of trained personnel to feed haulms into the systems and bag up the clean rice grains, next to the generator fuel or electricity for powering the equipment.

### Customer Segmentation

Subsistence and commercial rice growers, Rice milling enterprises, Agricultural service providers

### **Potential Profitability**

Compared to widely used manual methods, farmers and food processors in rice growing communities of SSA can create more value with motorized threshers and polishers thanks to major savings in transport and labour costs, and lower degrees of grain damage and loss. Self-contained mobile rice processing units drastically cut down on hauling costs by bringing the factory close to farms, and strongly increases the volumes of rice grains that can be prepared for local and regional markets. Major gains in quality and efficiency are realized since manual threshing comes with seed losses of 20-30% while for motorized threshers this amounts to 4-10%. The high value and demand of clean glossy rice grains on markets give mechanized rice processors the ability to substantially enhance incomes of all major rice growing communities of SSA, and wane off the large-scale importations from outside the continent. Equipment rental and skilled labour services for running processing units offer employment an

### **Licensing Requirements**

Processing of cassava with mobile units has to comply with national regulations and standards for manufacturing of food and non-food products in order to safely access markets.

### **Innovation as Public Good**

Different designs of motorized threshers and polishers are developed and disseminated as a public good, a large number of them by AfricaRice. Commercially marketed rice processor unit are under intellectual property.

**Solution Images**



# Institutions

